


# PAYLEAN



## FOR SWINE

*A medicated supplement for weight gain and carcass leanness for finishing swine.*

### FEEDING DIRECTIONS

**dac® SHOW CONTENDER PAYLEAN** can be fed to finishing swine intended for showing and slaughter.

**dac® SHOW CONTENDER PAYLEAN** should:

1. Not be fed to swine weighing less than 150 lbs.
2. Be fed with a complete ration containing 16% crude protein.
3. Only be fed for the last 45- 90 lbs of grain prior to slaughter.

Feed **dac® SHOW CONTENDER PAYLEAN** at the following rates:

To achieve the 4.5 g/ton level of Ractopamine - mix 1 level scoop (1 ounce) of **dac® SHOW CONTENDER PAYLEAN** with 5 lbs of complete feed containing at least 16% protein/day.

To achieve the 9 g/ton level of Ractopamine - mix 2 level scoops (2 ounces) of **dac® SHOW CONTENDER PAYLEAN** with 5 lbs of complete feed containing 16% protein/day.

### ACTIVE DRUG INGREDIENTS

Ractopamine Hydrochloride: .....350 g/ton (0.011 g)

### NON-DRUG INGREDIENTS

Rice hulls, wheat middlings, and vegetable oil.

### CAUTION

Ractopamine may increase the number of injured and/or fatigued pigs during marketing. Ractopamine is not to be used in breeding swine. Ractopamine is only approved at intakes ranging from 4.5 - 9 grams per ton of finished feed.

