## ZOETIS INC. 333 PORTAGE STREET, KALAMAZOO, MI, 49007

Telephone: 269-833-4000

Customer Service: 888-963-8471

Website:

www.zoetis.com



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

# TERRAMYCIN<sup>®</sup> SCOURS TABLETS

## Zoetis

## (oxytetracycline HCI)

Each tablet contains 250 mg of oxytetracycline HCI.

A broad-spectrum antibiotic for use in beef and dairy calves

## Read Entire Package Insert Carefully Before Using This Product

**GENERAL INFORMATION:** Terramycin Scours Tablets is an oral formulation containing oxytetracycline, a versatile, broad-spectrum antibiotic that possesses potent antimicrobial activity, for use in beef and dairy calves.

**WARNINGS:** Discontinue treatment at least 7 days prior to slaughter. Not for use in lactating dairy cattle. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

**PRECAUTIONS:** Exceeding the recommended dosage level of 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily), or administering at this recommended level for more than 4 consecutive days, may result in antibiotic residues beyond the withdrawal time.

Organisms may vary in their degree of susceptibility to any chemotherapy. If no improvement is observed after recommended treatment, diagnosis and susceptibility should be reexamined.

Rarely do side reactions or allergic manifestations occur in calves treated with Terramycin. If any unusual reactions are noted, discontinue use of the drug immediately and call a veterinarian.

Since bacteriostatic drugs may interfere with the bacterial action of penicillin, it is advisable to avoid giving Terramycin in conjunction with penicillin. **INDICATIONS:** Terramycin Scours Tablets are recommended for oral administration for the control and treatment of the following diseases in beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**DOSAGE LEVELS:** For *control* of bacterial enteritis and bacterial pneumonia orally administer 1 tablet per 100 lb of body weight every 12 hours (5 mg/lb of body weight daily in divided doses) for up to 4 consecutive days.


For *treatment* of bacterial enteritis and bacterial pneumonia orally administer 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily in divided doses) for up to 4 consecutive days.

Dosage should continue until the animal returns to normal and for 24-48 hours after symptoms have subsided. Treatment should not exceed 4 consecutive days.

**CARE OF SICK ANIMALS:** The use of antibiotics in the management of disease is based on an accurate diagnosis and an adequate course of treatment. When properly used in the treatment of diseases caused by oxytetracycline-susceptible organisms, most animals treated with Terramycin Scours Tablets show a noticeable improvement within 24-48 hours. If improvement does not occur within this period of time, the diagnosis and course of treatment should be reevaluated. It is recommended that the diagnosis and treatment of animal diseases be carried out by a veterinarian. Since many diseases look alike but require different types of treatment, the use of professional veterinary and laboratory services can reduce treatment time, costs, and needless losses. Good housing, sanitation, and nutrition are important in the maintenance of healthy animals and are essential in the treatment of disease.

RECOMMENDED STORAGE: Store below 25°C (77°F).

For Animal Use Only Restricted Drug (California)-Use Only as Directed Not for Human Use NADA #11-060, Approved by FDA Distributed by: Pfizer Animal Health, Exton, PA 19341, USA



75-7948-00

#### March 1998

#### **Presentation:** Packaged in 24- and 100-tablet bottles.

#### NAC No.: 3690028.1